

# **Qingdao Hongde Metal Plate CO.,LTD**

Phone:+86-532-83178137 Fax:+86-532-83185993

Add: Kaicheng Road Lingshanwei Huangdao, Qingdao, Shandong, China

*We Deliver A Correct Quality For Your Garden Care Solution*



## **About Company:**

Qingdao Hongde Metal Plate Co Ltd is located in Qingdao, China. We are a leading manufacturer of wood chipper and lawn mower in the northern part of China. *EFCUT* equipments are widely used in yard、 garden、 orchard and farm.

Customers can be benefit cost effective option with a correct quality.

During the years of our journey, we have exported most of our products to Europe, Australia, South Asia, and South American clients. For the nearer future, we are in the midst way to improve our quality of the products to achieve the higher requirement as per our customer's needs.

We wish to have a sincere and long term business relationship with our worldwide customers or partners, so that we can achieve our success together in the nearer future.

## **Goals:**

- To be the leading of various kinds of wood chipper、 lawn mower and log splitter producer.
- To deliver a correct quality to our customers as well as the best cost effective option.
- To communicate with customers in an effective way

## **Objectives:**

- To obtain a long term business relationship with worldwide customers.
- To obtain a high quality achievement for our products.
- To retain the old customers.

**EFCUT LMS-3.6** Slasher is 3-Point Hitch which specially designed for agriculture. Do not let the deck size fool you, with 3mm hot-dip galvanized deck and two heavy-duty swinging blades, it can achieve high cutting efficiency attached to a 40HP small tractor. Cutting height adjustable 60mm to 100mm as per your needs. If you have owned a tractor, the slasher is really an environmental equipment without the tail gas emissions. EFCUT light slasher, the most economical mowing equipment for your mini tractor.




Product Model	LMS-3.6
Type	Rough Cut
Recommnd Tractor (HP)	40 HP
Overall Width	1155 mm
Cutting Width	1045 mm
Cutting Height	60 mm -100 mm
Number Of Blades	2 Pieces
Blade Size	380 mm X 100 mm X 10 mm
Deck Thickness	3.0 mm
3-Point Hitch	Yes
Gear Box / Capacity	1:1.93 Ratio 40 HP
PTO Driveline	40HP
Grass Discharge	Rear Discharge
Slip Clutch	Yes
Weight Packing	206KG
Dimensions Packing	1447mm X 1152mm X 800mm
Warranty	1 Year Limited
Assembly Required	Yes-Most assembly will be tow bar.
Spare Parts Optional	Blade, Slip Clutch

**EFCUT LMS-4** is an easily maintainable agriculture equipment. Reliable PTO system connecting with the light tractor achieves an effective grass cutting performance. 4mm hot dip galvanized deck makes the machine longer using life, and less cost will be taken for maintaining the machine. Furthermore, adjustable skid plate can fit your different cutting height demands very well. EFCUT mower slasher is absolutely necessary machine for your farming work.



Product Model	LMS-4
Type	Rough Cut
Recommnd Tractor (HP)	40 HP
Overall Width	1275 mm
Cutting Width	1165 mm
Cutting Height	60 mm -100 mm
Number Of Blades	2 Pieces
Blade Size	380 mm X 100 mm X 10 mm
Deck Thickness	4.0 mm
3-Point Hitch	Yes
Gear Box / Capacity	1:1.93 Ratio 40 HP
PTO Driveline	40 HP
Grass Discharge	Rear Discharge
Slip Clutch	Yes
Weight Packing	222KG
Dimensions Packing	1569mm X 1274mm X 800mm
Warranty	1 Year Limited
Assembly Required	Yes-Most assembly will be tow bar.
Spare Parts Optional	Blade, Slip Cluth

EFCUT slashers can be your first choice for slashing machinery. The 5 FT mower slasher can match 40HP light tractor, cutting height 50mm-110mm adjustable. With 5mm hot-dip galvanized deck, It looks no better than color painted slasher equipment, but it is very durable for agriculture work. EFCUT mower slasher is well designed according to Australia safety standard and we keep it for worldwide distribution. If you own an 40HP light tractor and having grass cutting needs, why not buying a cost effective EFCUT slasher.



Product Model	LMS-5
Type	Rough Cut
Recommnd Tractor (HP)	40 HP
Overall Width	1580 mm
Cutting Width	1470 mm
Cutting Height	50 mm -110 mm
Number Of Blades	2 Pieces
Blade Size	380 mm X 100 mm X 10 mm
Deck Thickness	5.0 mm
3-Point Hitch	Yes
Gear Box / Capacity	1:1.93 Ratio 40 HP
PTO Driveline	40HP
Grass Discharge	Rear Discharge
Slip Clutch	Yes
Weight Packing	293KG
Dimensions Packing	1874mm X 1579mm X 800mm
Warranty	1 Year Limited
Assembly Required	Yes-Most assembly will be tow bar.
Spare Parts Optional	Blade, Slip Cluth

**Contact Us:**

Qingdao Hongde Metal Plate CO.,LTD

Add: Kaicheng Road Lingshanwei Huangdao, Qingdao, Shandong, China

Phone:+86-532-83178137

Fax:+86-532-83185993

Website: [www.efcut.com](http://www.efcut.com) / [www.qd-hdbj.com](http://www.qd-hdbj.com)